CORRECTION Open Access



Correction: COVID-19 pandemic vaccination strategies of early 2021 based on behavioral differences between residents of Tokyo and Osaka, Japan

Hidenori Yasuda^{1*}, Fuvu Ito², Ken-ichi Hanaki³ and Kazuo Suzuki^{3,4,5}

Correction: Arch Public Health 80, 180 (2022) https://doi.org/10.1186/s13690-022-00933-z

Following publication of the original article [1], the authors reported Fig. 3 was the wrong figure from another article due to a typesetting error.

The correct Fig. 3 has been provided in this Correction. The original article [1] has been corrected.

Author details

¹Department of Mathematics, Faculty of Science, Josai University, Hirakawa-cho, Chiyoda-ku, Tokyo 102–0093, Japan. ²Asia International Institute of Infectious Disease Control, Teikyo University, Kaga 2-11-1 Itabashi-ku, Tokyo 173-8605, Japan. ³Management Department of Biosafety, Laboratory Animal, and Pathogen Bank, National Institute of Infectious Diseases, Shinjuku-ku, Tokyo 162-8640, Japan. ⁴Japan Infection Control Association, Ogura-cho 40-3 Kitashirakawa Sakyo-ku, Kyoto 606-8264, Japan. ⁵Research Institute of Disaster Medicine, Chiba University, Inohana 1-8-1, Chuo-ku, Chiba 260-8670, Japan.

Published online: 06 September 2022

Reference

 Yasuda H, Ito F, Hanaki K, et al. COVID-19 pandemic vaccination strategies of early 2021 based on behavioral differences between residents of Tokyo and Osaka, Japan. Arch Public Health. 2022;80:180. https://doi.org/10. 1186/s13690-022-00933-z.

The original article can be found online at https://doi.org/10.1186/s13690-022-00933-z.

*Correspondence: yasuda12@josai.ac.jp

¹ Department of Mathematics, Faculty of Science, Josai University, Hirakawa-cho, Chiyoda-ku, Tokyo 102–0093, Japan Full list of author information is available at the end of the article



© The Author(s) 2022. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/licenses/by/4.0/. The Creative Commons.org/licenses/by/4.0/. The Creative Commons.org/licenses/by/4.

Yasuda et al. Archives of Public Health (2022) 80:205




Fig. 3 Percentage of infected people by generation: (a) Tokyo and (b) Osaka. The u20 denotes under 20 years of age and the o60 denotes over 60 years of age